

12/19/00

370	358
Class	Subclass
ISSUE CLASSIFICATION	

PATENT NUMBER

U.S. UTILITY Patent Application

12W
TR
SCANNED 74 O.A. 11-1-74

PATENT DATE
$$\frac{a_3}{a_9 a_{12}}$$

APPLICATION NO.	CONT/PRIOR	CLASS	SUBCLASS	ART UNIT	EXAMINER
09/739003		255	358	2633	CANGIALUSI

APPLICANTS

LeRoy Pick
David Steele
Evert Deboer

TIME

Clear channel access methods, apparatuses, media and signals

PTO-2040
1289

ISSUING CLASSIFICATION

[illegible]

<input type="checkbox"/> TERMINAL DISCLAIMER	DRAWINGS			CLAIMS ALLOWED	
	Sheets Drwg. <div style="text-align: center; font-size: 1.5em;">6</div>	Figs. Drwg. <div style="text-align: center; font-size: 1.5em;">8</div>	Print Fig. <div style="text-align: center; font-size: 1.5em;">8</div>	Total Claims <div style="text-align: center; font-size: 1.5em;">48</div>	Print Claim for O.G. <div style="text-align: center; font-size: 1.5em;">1</div>
<input type="checkbox"/> The term of this patent subsequent to _____ (date) has been disclaimed. <input type="checkbox"/> The term of this patent shall not extend beyond the expiration date of U.S. Patent. No. _____ <div style="text-align: center; margin-top: 20px;">_____</div>	_____ (Assistant Examiner) _____ (Date)			NOTICE OF ALLOWANCE MAILED	
	SALVATORE CANGIALOSI PRIMARY EXAMINER ART UNIT 222 <div style="text-align: center; margin-top: 20px;"> <i>S. Cangialosi</i> 10/04 (Primary Examiner) (Date) </div>			ISSUE FEE	
				Amount Due	Date Paid
<input type="checkbox"/> The terminal _____ months of this patent have been disclaimed. <div style="text-align: center; margin-top: 20px;">1</div>	Patricia Yewer 11/15/04 (Legal Instruments Examiner) (Date)			ISSUE BATCH NUMBER	
WARNING:- The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.					

Form PTO-436A
(Rev. 6/99)

FILED WITH: ☐ DISK (CRF) ☐ FICHE ☐ CD-ROM
(Attached to pocket on right inside flap)

BEST AVAILABLE COPY

(FACE)